

25X1

**CENTRAL INTELLIGENCE AGENCY
INFORMATION REPORT**

REPORT

CD NO.

COUNTRY East Germany

DATE DISTR. 22 May 1955

SUBJECT Office of Water Engineering:
1955 Budget

NO. OF PAGES 1

**PLACE
ACQUIRED**

NO. OF ENCLS.
(LISTED BELOW)

25X1

DATE OF INFO.

**SUPPLEMENT TO
REPORT NO.**

THIS IS UNCLASSIFIED INFORMATION

25X1

1. The GDR Government had allotted 25 million DME to be spent in 1955 for the repair of damage caused by the floods in July 1954. In mid-January 1955, the budget of the Amt fuer Wasserrwirtschaft (Office for Water Engineering) was reduced, however, by 35 million DME for unknown reasons.
2. If this reduction is not revised, there will be no way to repair the flood damage. The damages caused in July 1954 amounted to about 72 million DME. By 20 January 1955, damages to a value of about 8 million DME had been repaired.

25X1

CLASSIFICATION ~~S-E-C-R-E-T~~

[illegible]

25X1

CLASSIFICATION S-E-C-R-E-T

CENTRAL INTELLIGENCE AGENCY

REPORT

25X1

INFORMATION REPORT

CD NO.

COUNTRY East Germany

DATE DISTR. 12 May 1955

SUBJECT Office of Water Engineering:
1955 Budget

NO. OF PAGES 1

PLACE
ACQUIREDNO. OF ENCLS.
(LISTED BELOW)

25X1

DATE OF INFO.

SUPPLEMENT TO
REPORT NO.

THIS DOCUMENT CONTAINS INFORMATION AFFECTING THE NATIONAL DEFENSE OF THE UNITED STATES, WITHIN THE MEANING OF TITLE 18, SECTIONS 793 AND 794, OF THE U. S. CODE, AS AMENDED. ITS TRANSMISSION OR REVELATION OF ITS CONTENTS TO OR RECEIPT BY AN UNAUTHORIZED PERSON IS PROHIBITED BY LAW. THE REPRODUCTION OF THIS FORM IS PROHIBITED.

THIS IS UNEVALUATED INFORMATION 25X1

25X1

25X1

1. The GDR Government had allotted 25 million DME to be spent in 1955 for the repair of damage caused by the floods in July 1954. In mid-January 1955, the budget of the Amt fuer Wasserwirtschaft (Office for Water Engineering) was reduced, however, by 35 million DME for unknown reasons.
2. If this reduction is not revised, there will be no way to repair the flood damage. The damage caused in July 1954 amounted to about 72 million DME. By 20 January 1955, damage to a value of about 2 million DME had been repaired.

25X1

CLASSIFICATION S-E-C-R-E-T

[illegible]

25X1